



Autoeye
Security Solutions

PRODUCT CATALOG



<https://autoeye.in>

CENTRAL UNIT (PANEL)

- 230V AC Operating Voltage
- 2400mAh Li-Ion Battery
- 433 MHz Wireless
- GSM SIM Supported

SIREN

- 120dB Sound
- Electronic Siren
- 12V DC Operating Siren

SHUTTER SENSOR

- 6V DV Operating Voltage
- 15-18 Months Battery Backup
- Wireless Sensor
- 10 to 15 Meters Wireless Range
- 433MHz Wireless
- Aluminum Metal Body
- 100% Rust Free
- Easy to Install

**GSM PANEL AND
WIRELESS BASED
SHOP SECURITY FOR
SINGLE SHUTTER**



SPECS

**MODEL
IAS-0200**

FEATURES

- No Manual Charging
- No Key Lock and Unlock Lock and Unlock Through SMS, Call and Switch
- IN and Out Delay
- Alert through Call, SMS and Loud Siren
- Alert Call on 4 Registered Numbers
- Alert SMS on 4 Registered Numbers
- One Shutter Sensor Supported



CENTRAL UNIT (PANEL)

- 230V AC Operating Voltage
- 2400mAH Li-Ion Battery
- 433 MHz Wireless
- GSM SIM Supported
- Remote Supported

SIREN

- 120dB Sound
- Electronic Siren
- 12V DC Operating Siren

DOOR SENSOR

- 6V DV Operating Voltage
- 12-15 Months Battery Backup
- Wireless Sensor
- 433MHz Wireless
- Plastic Body
- Easy to Install

**GSM PANEL , WIRELESS
AND REMOTE BASED
HOME & OFFICE
SECURITY**



SPECS

**MODEL
IAS-0201**

FEATURES

- Lock and Unlock Through SMS, Call and Remote
- Alert through Call, SMS and Loud Siren
- Alert Call on 4 Registered Numbers
- Alert SMS on 4 Registered Numbers
- 20 any wireless Sensor Supported
- 4 Remotes Supported



CENTRAL UNIT (PANEL)

- 230V AC Operating Voltage
- 2400mAh Li-Ion Battery
- 433 MHz Wireless
- GSM SIM Supported
- Remote Supported

SIREN

- 120dB Sound
- Electronic Siren
- 12V DC Operating Siren

SHUTTER SENSOR

- 6V DV Operating Voltage
- 15-18 Months Battery Backup
- Wireless Sensor
- 433MHz Wireless
- Aluminum Metal Body
- 100% Rust Free
- Easy to Install

SPECS

**GSM PANEL , WIRELESS
AND REMOTE BASED
SHOP SECURITY
FOR MULTI SHUTTER**



MODEL IAS-0203

FEATURES

- No Manual Charging
- No Key Lock and Unlock
- Lock and Unlock Through SMS, Call and Remote
- Alert through Call, SMS and Loud Siren
- Alert Call on 4 Registered Numbers
- Alert SMS on 4 Registered Numbers
- 20 any wireless Sensor Supported
- 4 Remotes Supported



CENTRAL UNIT (PANEL)

- 230V AC Operating Voltage
- 2400mAh Li-Ion Battery
- 433 MHz Wireless
- GSM SIM Supported
- Remote Supported(optional)

SIREN

- 120dB Sound
- Electronic Siren
- 12V DC Operating Siren

SHUTTER SENSOR

- 6V DV Operating Voltage
- 15-18 Months Battery Backup
- Wireless Sensor
- 433MHz Wireless
- Aluminum Metal Body
- 100% Rust Free
- Easy to Install

SPECS

**GSM PANEL AND
WIRELESS BASED SHOP
SECURITY FOR MULTI
SHUTTER**



MODEL IAS-0204

FEATURES

- No Manual Charging
- No Key Lock and Unlock
- Lock and Unlock Through SMS, Call and Switch
- Lock and Unlock Through Remote (Optional)
- IN and Out Delay
- Alert through Call, SMS and Loud Siren
- Alert Call on 4 Registered Numbers
- Alert SMS on 4 Registered Numbers
- Four any Wireless Sensor Supported
- Dual Siren Supported

